Response Under 37 CFR 1.116
Expedited Procedure
Examining Group 1600
Application No. 09/856,277
Reply to Final Office Action of June 10, 2004
Amdt. After Final Rejection dated September 10, 2004
Attorney Docket No. 702-010802

## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings of claims in the application:

1-12. (Cancelled)

13. (Currently Amended) A method for the treatment of skeletal muscle subjected to temporary immobilization which results in muscle disuse syndrome in an animal or human for which such treatment is indicated, comprising administering two or more doses daily of a creatine compound in unit dosage form during the immobilization period and/or during a subsequent rehabilitation period, and further comprising administering about 5 g creatine compound, in unit dosage form, more than once daily during the immobilization period and administering about 5 g creatine compound, in unit dosage form, only once daily during at least a portion of the rehabilitation period, wherein the creatine compound dosage amount decreases to one dose daily during the rehabilitation period for up to about ten weeks lasts no more than about ten weeks.

- 14. (Previously Presented): The method according to claim 13, wherein said creatine compound is creatine.
- 15. (Previously Presented): The method according to claim 13, wherein said creatine compound is a creatine analogue.
- 16. (Previously Presented): The method according to claim 13, wherein the animal or human to be treated need not in addition perform a training programme to increase muscle volume and muscle functional capacity.

Response Under 37 CFR 1.116
Expedited Procedure
Examining Group 1600
Application No. 09/856,277
Reply to Final Office Action of June 10, 2004
Amdt. After Final Rejection dated September 10, 2004
Attorney Docket No. 702-010802

- 17. (Previously Presented): The method according to claim 13, wherein the creatine compound, in unit dosage form, is administered in an amount that leads to a total daily supplementation of about 5 to 20 g creatine.
- 18. (Previously Presented): The method according to claim 13, wherein said muscle disuse syndrome is the result of reduced physical activity due to immobilization, disease, aging or handicap.

19-20. (Cancelled)

- 21. (Previously Presented) The method according to claim 17, wherein the total treatment period lasts up to between about two to twelve weeks.
  - 22. (Cancelled).